



|                     |       |
|---------------------|-------|
| Project:            |       |
| Location:           |       |
| Model#: TLP14SMK-WH | Type: |
| Client:             | Qty:  |
| Prepared by:        | Date: |

#### SERIES SPECIFICATIONS

To supply Tamlite flat panel surface mounting kit.



#### PERFORMANCE SPECIFICATIONS

**Environmental Rating(s):** IP20

**UL Classification:** Dry Location Only

**Certification Standards:** cULus

#### PHYSICAL SPECIFICATIONS

**Finish Colour:** White

**Finish Type:** Powder Coated

**Mounting:** Surface

**Housing Material:** Aluminium

#### SHIPPING INFORMATION

**OrderingCode(s):** TLP14SMK-WH

**Box Weight:** 12.5 kg

**Box Quantity:** 1

**Box Dimensions (L-W-H):** 1320 x 415 x 140 mm

**Carton Weight:** 12.5


**Carton Quantity:** 2

**Carton Dimensions (L-W-H):** 1320 x 415 x 140 mm

|                     |       |
|---------------------|-------|
| Project:            |       |
| Location:           |       |
| Model#: TLP14SMK-WH | Type: |
| Client:             | Qty:  |
| Prepared by:        | Date: |

## LINE DRAWING

### Line Drawings





|                     |       |
|---------------------|-------|
| Project:            |       |
| Location:           |       |
| Model#: TLP14SMK-WH | Type: |
| Client:             | Qty:  |
| Prepared by:        | Date: |

SERIES ARCHITECTURE

Series Architecture

TLPE Nomenclature

| Part | Size |       | Wattage |     | CCT |       | Mounting |                | Voltage |            | Finish |       |
|------|------|-------|---------|-----|-----|-------|----------|----------------|---------|------------|--------|-------|
| TLPE | 14   | 1x4ft | 36      | 36W | 30K | 3000K | [blank]  | T-Bar          | UNV     | 120-277VAC | WH     | White |
|      | 22   | 2x2ft | 40      | 40W | 35K | 3500K | DF       | Drywall Flange | UN4     | 347VAC     |        |       |
|      | 24   | 2x4ft | 48      | 48W | 40K | 4000K | SF       | Surface Mount  |         |            |        |       |
|      |      |       | 60      | 60W | 50K | 5000K | SU       | Suspended      |         |            |        |       |

Optional Extras: TLP14SPK Suspension kit